

DATA SHEET

FortiNAC™

Available in:




Appliance



Virtual Machine

FortiNAC 500C, 550C, 600C, 700C, VM, and Licenses



Security for Networks with IoT

FortiNAC™ is Fortinet’s network access control solution that enhances the Security Fabric with visibility, control, and automated response for everything that connects to the network. FortiNAC provides protection against IoT threats, extends control to third-party devices, and orchestrates automatic responses to a wide range of networking events.



Visibility Across the Network for Every Device and User

FortiNAC provides detailed profiling of even headless devices on your network using multiple information and behavior sources to accurately identify what is on your network.



Extend Control of the Network to Third-Party Products

Implement micro-segmentation policies and change configurations on switches and wireless products from more than 70 vendors. Extend the reach of the Security Fabric in heterogeneous environments.



Automated Responsiveness

React to events in your network in seconds to contain threats before they spread. FortiNAC offers a broad and customizable set of automation policies that can instantly trigger configuration changes when the targeted behavior is observed.

Highlights

- Scan the network for detection and classification of devices via agent or agentless (automated)
- Create an inventory of all devices on the network
- Assess risk of every endpoint on the network
- Centralize architecture for easier deployment and management
- Provide extensive support for third-party network devices to ensure effectiveness with existing network infrastructure
- Automate onboarding process for a large number of endpoints, users, and guests
- Enforce dynamic network access control and enable network segmentation
- Reduce containment time from days to seconds
- Provide event reporting to SIEM with detailed contextual data to reduce investigation time

HIGHLIGHTS

Device Visibility

Fundamental to the security of a constantly changing network is an understanding of its makeup. FortiNAC sees everything on the network providing complete visibility. FortiNAC scans your network to discover every user, application, and device. With up to 20 different techniques, FortiNAC can then profile each element based on observed characteristics and responses, as well as calling on FortiGuard's IoT Services, a cloud-based database for identification look-ups.

Scanning can be done actively or passively and can utilize permanent agents, dissolvable agents, or no agents. Additionally, FortiNAC can assess a device to see if it matches approved profiles, noting the need for software updates to patch vulnerabilities. With FortiNAC deployed, the entire network is known.

In addition to knowing the entire network, FortiNAC's enhanced visibility can also use passive traffic analysis, leveraging Fortinet FortiGate appliances as sensors, to identify anomalous traffic patterns, a possible indication of compromise that can be followed up by the SOC team.

General
Methods

Active
 DHCP Fingerprinting
 FortiGate
 FortiGuard
 HTTP/HTTPS
 IP Range
 Location
 Network Traffic
 ONVIF
 Passive
 Persistent Agent
 Script
 SNMP
 SSH
 TCP
 Telnet
 UDP
 Vendor OUI
 WinRM
 WMI Profile

FortiNAC Profiling Methods for Device Classification

Dynamic Network Control

Once the devices are classified and the users are known, FortiNAC enables detailed segmentation of the network to enable devices and users access to necessary resources while blocking non-authorized access. FortiNAC uses dynamic role-based network access control to logically create network segments by grouping applications and like data together to limit access to a specific group of users and/or devices. In this manner, if a device is compromised, its ability to travel in the network and attack other assets will be limited. FortiNAC helps to protect critical data and sensitive assets while ensuring compliance with internal, industry, and government regulations and mandates.

Ensuring the integrity of devices before they connect to the network minimizes risk and the possible spread of malware. FortiNAC validates a device's configuration as it attempts to join the network. If the configuration is found to be non-compliant, the device can be handled appropriately such as by an isolated or limited access VLAN that has no access to corporate resources.

Automated Response

FortiNAC will monitor the network on an ongoing basis, evaluating endpoints to ensure they conform to their profile. FortiNAC will rescan devices to ensure MAC-address spoofing does not bypass your network access security. Additionally, FortiNAC can watch for anomalies in traffic patterns. This passive anomaly detection works in conjunction with FortiGate appliances. Once a compromised or vulnerable endpoint is detected as a threat, FortiNAC triggers an automated response to contain the endpoint in real-time.



INTEGRATION

Status	Server	Host Status	IP Address	Physical Address	All IPs	Location	Connected Container	Rule Name	Media	RADIUS Auth Type	Outer EAP Type	Inne
🟢	fortinac01.classicnetworking.net	🟢	169.254.151.234	D4:81:D7:83:9D:C9	169.254.151.234 (IPv4)	FWF61E.root.1stFloorData	Firewalls		Wired			
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.127	C0:B6:F9:66:AB:7F	203.0.113.127 (IPv4)	RR-61E.root.lan	Firewalls		Wireless			
🟢	fortinac01.classicnetworking.net	🟢	192.0.2.202	54:B2:03:08:5E:C1	192.0.2.202 (IPv4)	FWF61E.root.192.MGMT	Firewalls		Wired			
🟢	fortinac01.classicnetworking.net	🟢	172.16.127.100	54:B2:03:08:5E:C2					Wired			
🟢	fortinac01.classicnetworking.net	🟢	172.16.127.100	00:50:B6:24:05:BC	172.16.127.100 (IPv4)	Cisco2960C Gi0/4	Switches					
🟢	fortinac01.classicnetworking.net	🟢	172.16.154.105	B4:FB:E4:C6:C3:8D	172.16.154.105 (IPv4)	FWF61E.root.1stFloorData	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	172.16.198.111	B8:27:EB:54:0E:AB	172.16.198.111 (IPv4)	Cisco2960C Gi0/8	Switches					
🟢	fortinac01.classicnetworking.net	🟢	172.16.198.246	B0:C5:54:42:1E:4A	172.16.198.246 (IPv4)	FWF61E.root.1stFloorData	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	172.16.120.200	B0:C5:54:18:9C:A9	172.16.120.200 (IPv4)	Cisco2960C Gi0/5	Switches					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.125	F0:9F:C2:D9:75:75	203.0.113.125 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	192.168.0.20	B0:C5:54:18:9E:10	192.168.0.20 (IPv4)	Cisco2960C Gi0/7	Switches					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.112	8C:49:62:13:94:40	203.0.113.112 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.109	70:56:81:E8:3A:D1	203.0.113.109 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.117	64:16:66:47:20:57	203.0.113.117 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.107	0C:1C:57:A3:8D:E4	203.0.113.107 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.105	54:E0:19:31:B5:F2	203.0.113.105 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.103	F0:9F:C2:D9:77:DF	203.0.113.103 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.100	F4:92:BF:86:AB:DA	203.0.113.100 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.120	64:16:66:34:3D:96	203.0.113.120 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.113	10:CE:A9:56:8C:EA	203.0.113.113 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.106	2C:AB:33:C8:36:C0	203.0.113.106 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.111	10:AE:60:33:97:3F	203.0.113.111 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.123	B8:27:EB:01:5B:FE	203.0.113.123 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.102	F0:9F:C2:D9:89:4E	203.0.113.102 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.110	54:E0:19:31:B5:CF	203.0.113.110 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.114	2C:F0:A2:F1:B3:28	203.0.113.114 (IPv4)	RR-61E.root.lan	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.199	AC:ED:5C:7F:42:34	203.0.113.199 (IPv4)	RR-61E.root.lan	Firewalls		Wireless			
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.121	34:3E:A4:44:F7:55	203.0.113.121 (IPv4)	RR-61E.root.lan	Firewalls	Cameras				
🟢	fortinac01.classicnetworking.net	🟢	203.0.113.119	34:3E:A4:44:EE:6F	203.0.113.119 (IPv4)	RR-61E.root.lan	Firewalls	Cameras				
🟢	fortinac01.classicnetworking.net	🟢	172.16.117.100	70:4C:A5:E2:8A:FC	172.16.200.199 (IPv4)	FWF61E.root.1stFloorData	Firewalls					
🟢	fortinac01.classicnetworking.net	🟢	172.16.117.100	B8:CA:3A:67:45:4F	172.16.117.100 (IPv4)	Cisco3560 Fa0/3	Switches		Wired			

FortiNAC Adapter View

Extensive integration with desktop security software, directories, network infrastructure, and third-party security systems provides unparalleled visibility and control across the network environment. The FortiNAC family integrates with*:



Network Infrastructure

Adtran, Aerohive, Alcatel-Lucent, Allied Telesis, Alteon, APC, Apple, Avaya, Brocade/Foundry Networks/Ruckus, Cisco/Meraki, D-Link, Extreme/Enterasys/Siemens, H3C, HP/Colubris/3Com/Aruba, Intel, Juniper, Riverbed/Xirrus, SonicWall

Security Infrastructure

CheckPoint, Cisco/SourceFire, Cyphort, FireEye, Juniper/Netscreen, Qualys, Sonicwall, Tenable

Authentication and Directory Services

RADIUS — Cisco ACS, Free RADIUS, Microsoft IAS, LDAP — Google SSO, Microsoft Active Directory, OpenLDAP

Operating Systems

Android, Apple MAC OSX and iOS, Linux, Microsoft Windows

Endpoint Security Applications

Authentium, Avast, AVG, Avira, Blink, Bullguard, CA, ClamAV, Dr. Web, Enigma, ESET, F-Prot, F-Secure, G Data, Intego, Javacool, Lavasoft, Lightspeed, McAfee, Microsoft, MicroWorld, Norman, Norton, Panda, PC Tools, Rising, Softwin, Sophos, Spyware Bot, Sunbelt, Symantec, Trend Micro, Vexira, Webroot SpySweeper, Zone Alarm

Mobile Device Management

AirWatch, Google GSuite, MaaS360, Microsoft InTune, Mobile Iron, XenMobile, JAMF, Nozomi Networks

* FortiNAC can be integrated with other vendors and technologies in addition to those listed here. This list represents integrations that have been validated in both test lab and production network environments.



DEPLOYMENT OPTIONS


Easy Deployment

FortiNAC is a flexible and scalable solution that spans from mid-size to very large enterprise deployments. There are three elements to the FortiNAC solution:

- Application and Control (required)
- Management (optional)
- FortiAnalyzer for Reports (optional)

The Application provides the visibility, and the Control provides the configuration capabilities and automated responsiveness features. The Management portion enables the sharing of concurrent users across a multi-server deployment. FortiAnalyzer provides reports and analytics based on the information gathered from the network through FortiNAC.


FortiNAC can be deployed in virtual machines (VMWare/ Hyper-V/AWS/Azure/KVM) or on hardware appliances. The Application and Control Servers can be deployed in a variety of sizes, depending on the number of ports they need to support. FortiNAC is ideal for support distributed architectures, including SD-Branch locations.



Centralized Architecture

FortiNAC is an 'out of band' solution, meaning it does not sit in-line of user traffic. This architecture allows FortiNAC to be deployed centrally and manage many remote locations. Visibility, control, and response are achieved by integrating with, and leveraging the capabilities of, the network infrastructure. Control can be applied at the point of connection, at the very edge of the network while security device integrations allow FortiNAC to process security alerts and treat them as triggers for automated threat mitigation through customizable work flows.

Data collection is gathered from multiple sources using a variety of methods. SNMP, CLI, RADIUS, SYSLOG, API and DHCP fingerprints can all be used to achieve the detailed end-to-end visibility necessary to create a truly secure environment.



LICENSING

FortiNAC Licensing

FortiNAC offers flexible deployment options based on the level of coverage and functionality desired.

BASE License

- The BASE license level provides easy, one-step IoT security solution to close pressing endpoint security gaps by seeing all endpoint devices on the network, automating authorization, and enabling micro-segmentation and network lockdown. The BASE license level is appropriate for organizations that need to secure IoT and headless devices, and enable network lockdown with dynamic VLAN steering, but do not require more advanced user/network controls or automated threat response.

PLUS License

- The PLUS license level builds on all the functionality of BASE with enhanced visibility and more advanced Network Access Controls and automated provisioning for users, guests, and devices as well as reporting and analytics. The reporting and analytics can greatly assist in providing audit documentation of compliance. The PLUS license level is appropriate for organizations that want complete endpoint visibility and a granular control, but do not require automated threat response.

PRO License

- The PRO license level provides the ultimate in visibility, control and response. PRO license offers real-time endpoint visibility, comprehensive access control, and automated threat response and delivers contextual information with triaged alerts. The PRO license level is appropriate for organizations that want complete endpoint visibility, a flexible NAC solution with granular controls, as well as accurate event triage and real-time automated threat response.

		FORTINAC LICENSE TYPES	BASE	PLUS	PRO
Visibility	Network	Network Discovery	☑	☑	☑
		Rogue Identification	☑	☑	☑
		Device Profiling & Classification	☑	☑	☑
	Endpoint	Enhanced Visibility	☑	☑	☑
		Anomaly Detection	☑	☑	☑
		MDM Integration	☑	☑	☑
		Persistent Agent		☑	☑
	User	Authentication		☑	☑
		Captive Portal		☑	☑
	Automation / Control	Network Access Policies	☑	☑	☑
		IoT Onboarding with Sponsor	☑	☑	☑
		Rogue Device Detection & Restriction	☑	☑	☑
Firewall Segmentation		☑	☑	☑	
MAC Address Bypass (MAB)		☑	☑	☑	
Full RADIUS (EAP)			☑	☑	
BYOD / Onboarding			☑	☑	
Guest Management			☑	☑	
Endpoint Compliance			☑	☑	
Web & Firewall Single Sign-on			☑	☑	
Incident Response	Event Correlation			☑	
	Extensible Actions & Audit Trail			☑	
	Alert Criticality & Routing			☑	
	Guided Triage Workflows			☑	
Integrations	Inbound Security Events			☑	
	Outbound Security Events		☑	☑	
	REST API	☑	☑	☑	
Reporting	Customizable Reports	☑	☑	☑	



SERVICES

FortiCare Services

As your business rapidly evolves, it is critical to advance your security capabilities as well. Often though, you do not have expertise within your organization to deploy, operate, and maintain these new capabilities or are up against tight deadlines to implement change. We understand this challenge and help thousands of organizations every year tackle this problem with FortiCare Services. Our experts provide accelerated implementation of your technology, reliable assistance through advanced support, and proactive care to ensure your success with Fortinet investment. No matter the size or location of your organization, we are ready to provide you with an elevated experience to help you achieve your business goals with superior security and performance.

FortiCare Support

A FortiCare Support contract entitles you not only to receive updates to the FortiNAC firmware, but also receive two important feeds:

- 1) Network device database update- FortiNAC supports more than 2,500 switching, wireless, or firewall devices on the market. As new devices are released, FortiNAC's network device database should be updated to reflect these new models. The weekly update from the FortiNAC team will keep your deployment up to date.
- 2) FortiGuard IoT Service - One of the means that FortiNAC has to identify devices is to use the cloud-look up service hosted by FortiGuard Labs. A FortiCare Support contract entitles you to use that service at no additional cost, giving you access to a database of millions of devices.



SPECIFICATIONS

	FNC-M-550C	FNC-CA-600C	FNC-CA-500C
System			
CPU	Intel Xeon Silver 4210 2.2G, 10C/20T, 9.6GT/s, 13.75M Cache, Turbo, HT (85W) DDR4-2400 (Qty 2)		Intel Xeon E-2124 3.3GHz, 8M cache, 4C/4T, turbo (71W) (Qty 1)
Memory	8GB RDIMM, 3200MT/s, Single Rank (Qty 4)		8GB 2666MT/s DDR4 ECC UDIMM (Qty 2)
Hard Disk	1TB 7.2K RPM SATA 6 Gbps 2.5in Hot-plug Hard Drive (Qty 2)		1TB 7.2K RPM SATA 6 Gbps 3.5in Hot-plug Hard Drive RAID1 (Qty 2)
BMC	iDRAC9 Express, integrated (Qty 1)		iDRAC8 Express (Qty 1)
Network Interface	4× 10/100/1000 Ethernet, RJ45		4× 10/100/1000 Ethernet, RJ45
RAID Card	PERC H330 Integrated RAID Controller (Qty 1)		PERC H330 Integrated RAID Controller (Qty 1)
RAID Configuration	RAID 1		RAID 1
Console Access	Yes *		Yes *
Form Factor	1U Rack Mountable		1U Rack Mountable
Dimensions			
Height x Width x Length (inches)	1.68 × 18.9 × 29.73		1.68 × 17.08 × 24.60
Height x Width x Length (mm)	42.8 × 482.4 × 755.12		42.8 × 434.0 × 625.0
Weight	43.056 lbs (19.76 kg)		43.87 lbs (19.9 kg)
Environment			
Power Supply	Dual 550W Hot Plug Power Supply		Dual 350W Hot Plug Power Supplies
Input Power	100-240V AC Autoranging		100-240V AC Autoranging
Input Current	6.25 A		3.0 A
Cooling	7 fans		4 fans
Panel Display	No LCD		20 Char LCD
Heat Dissipation	2559 BTU/hr		13571 BTU/hr
Operation Temperature Range	50–95°F (10–35°C)		50–95°F (10–35°C)
Storage Temperature Range	-40–149°F (-40–65°C)		-40–149°F (-40–65°C)
Humidity (Operating)	10–80% non-condensing		10–80% non-condensing
Humidity (Non-operating)	5–95% non-condensing		5–95% non-condensing
Certification			
Safety	Certified as applicable by Product Safety authorities worldwide, including United States (NRTL), Canada (SCC), European Union (CE).		
Electromagnetic (EMC)	Certified as applicable by EMC authorities worldwide, including United States (FCC), Canada (ICES), European Union (CE).		
Materials	Certified as applicable by Materials authorities worldwide, including European Union (ROHS) and China (ROHS).		

* The console port can be used for access if the appliance has an issue i.e. you can connect a monitor and a keyboard to it. FortiNAC does not use the console port for access.



SPECIFICATIONS

FNC-CA-700C	
System	
CPU	Intel Xeon Gold 6240 2.6G, 18C/36T, 10.4GT/s, 24.75M Cache, Turbo, - HT (150W) DDR4-2933 (Qty 2)
Memory	8GB RDIMM, 3200MT/s, Single Rank (Qty 12)
Hard Disk	600 GB 15K RPM SAS 12 Gbps 2.5in Hot-plug Hard Drive (Qty 2)
BMC	iDRAC9 Express, integrated (Qty 1)
Network Interface	4× 10/100/1000 Ethernet, RJ45
RAID Card	PERC H730P+ RAID Controller, 2 GB Cache (Qty 1)
RAID Configuration	RAID 1
Console Access	Yes *
Form Factor	1U Rack Mountable
Dimensions	
Height x Width x Length (inches)	1.68 × 18.9 × 29.73
Height x Width x Length (mm)	42.8 × 482.4 × 755.12
Weight	43.056 lbs (19.76 kg)
Environment	
Power Supply	Dual, Hot Plug, Redundant Power Supply (1+1), 550W
Input Power	100–240V AC, Autoranging
Input Current	6.25 A
Cooling	7 fans
Panel Display	No LCD
Heat Dissipation	2559 BTU/hr
Operation Temperature Range	50–95°F (10–35°C)
Storage Temperature Range	-40–149°F (-40–65°C)
Humidity (Operating)	10–80% non-condensing
Humidity (Non-operating)	5–95% non-condensing
Certification	
Safety	Certified as applicable by Product Safety authorities worldwide, including United States (NRTL), Canada (SCC), European Union (CE).
Electromagnetic (EMC)	Certified as applicable by EMC authorities worldwide, including United States (FCC), Canada (ICES), European Union (CE).
Materials	Certified as applicable by Materials authorities worldwide, including European Union (ROHS) and China (ROHS).

* The console port can be used for access if the appliance has an issue i.e. you can connect a monitor and a keyboard to it. FortiNAC does not use the console port for access.



HARDWARE SERVER SIZING

HARDWARE			
Hardware Server	Type	Target Environment	Capacity
FortiNAC-CA-500C	Standalone Appliance (Integrated Control Server and Application Server)	Small Environments	Manages up to 2,000 ports in the network*
FortiNAC-CA-600C	High Performance Control and Application Server	Medium Environments	Manages up to 15,000 ports in the network*
FortiNAC-CA-700C	Ultra High Performance Control and Application Server	Large Environments with few Persistent Agents	Manages up to 25,000 ports in the network*
FortiNAC-M-550C	Management Appliance (Provides centralized management when multiple appliances are deployed)	Multi-site environments with multiple appliances	Unlimited

* "Ports" in the network = total number of switch ports + maximum number of concurrent wireless connections. FortiNAC sizes the appliance capacity based on total port counts not total number of devices.

VM SERVER RESOURCE SIZING

Network Size	Target Environment	SKU	vCPU**	Memory	Disk
Up to 2,000 ports in the network*	Small Environment	FNC-CA-VM	4	16 GB	100 GB
Up to 15,000 ports in the network*	Medium Environment	FNC-CA-VM	20	32 GB	100 GB
Up to 25,000 ports in the network*	Large Environment	FNC-CA-VM	36	96 GB	100 GB
Unlimited	Large Environment	FNC-M-VM	20	32 GB	100 GB

* "Ports" in the network = total number of switch ports + maximum number of concurrent wireless connections. FortiNAC sizes the appliance capacity based on total port counts not total number of devices.

** The values in the vCPU column are only guidelines. Individual environments may vary.

ORDER INFORMATION

Appliances	SKU	Description
FortiNAC-CA-500C	FNC-CA-500C	FortiNAC 500, Network Control and Application Server with RAID and Redundant Power Supplies
FortiNAC-CA-600C	FNC-CA-600C	FortiNAC 600, High Performance Network Control and Application Server with RAID and Redundant Power Supplies
FortiNAC-CA-700C	FNC-CA-700C	FortiNAC 700, Ultra High Performance Network Control and Application Server with RAID and Redundant Power Supplies
FortiNAC-M-550C	FNC-M-550C	FortiNAC Manager 550, Network Manager with RAID and Redundant Power Supplies
Virtual Machines	SKU	Description
FortiNAC Control and Application VM	FNC-CA-VM	FortiNAC Control and Application VM Server (VMware or Hyper-V or AWS or Azure or KVM)
FortiNAC Manager VM	FNC-M-VM	FortiNAC Manager VM Server (VMware or Hyper-V or AWS or Azure or KVM)

LICENSES		
Perpetual License	SKU	Description
FortiNAC BASE License 100	LIC-FNAC-BASE-100	FortiNAC BASE License for 100 concurrent endpoint devices. The BASE license provides Endpoint Visibility and Dynamic VLAN Steering.
FortiNAC BASE License 1K	LIC-FNAC-BASE-1K	FortiNAC BASE License for 1K concurrent endpoint devices. The BASE license provides Endpoint Visibility and Dynamic VLAN Steering.
FortiNAC BASE License 10K	LIC-FNAC-BASE-10K	FortiNAC BASE License for 10K concurrent endpoint devices. The BASE license provides Endpoint Visibility and Dynamic VLAN Steering.
FortiNAC BASE License 50K	LIC-FNAC-BASE-50K	FortiNAC BASE License for 50K concurrent endpoint devices. The BASE license provides Endpoint Visibility and Dynamic VLAN Steering.
FortiNAC PLUS License 100	LIC-FNAC-PLUS-100	FortiNAC PLUS License for 100 concurrent endpoint devices. All the functionality of BASE with more advanced Network Access Controls and automated provisioning for users, guests, and devices.
FortiNAC PLUS License 1K	LIC-FNAC-PLUS-1K	FortiNAC PLUS License for 1K concurrent endpoint devices. All the functionality of BASE with more advanced Network Access Controls and automated provisioning for users, guests, and devices.
FortiNAC PLUS License 10K	LIC-FNAC-PLUS-10K	FortiNAC PLUS License for 10K concurrent endpoint devices. All the functionality of BASE with more advanced Network Access Controls and automated provisioning for users, guests, and devices.
FortiNAC PLUS License 50K	LIC-FNAC-PLUS-50K	FortiNAC PLUS License for 50K concurrent endpoint devices. All the functionality of BASE with more advanced Network Access Controls and automated provisioning for users, guests, and devices.
FortiNAC PRO License 100	LIC-FNAC-PRO-100	FortiNAC PRO License for 100 concurrent endpoint devices. PRO license level provides the ultimate in visibility, control and response.
FortiNAC PRO License 1K	LIC-FNAC-PRO-1K	FortiNAC PRO License for 1K concurrent endpoint devices. PRO license level provides the ultimate in visibility, control and response.
FortiNAC PRO License 10K	LIC-FNAC-PRO-10K	FortiNAC PRO License for 10K concurrent endpoint devices. PRO license level provides the ultimate in visibility, control and response.
FortiNAC PRO License 50K	LIC-FNAC-PRO-50K	FortiNAC PRO License for 50K concurrent endpoint devices. PRO license level provides the ultimate in visibility, control and response.



ORDER INFORMATION

LICENSES		
Upgrade License	SKU	Description
BASE to PLUS License Upgrade	FNC-LIC-BASE-UPG-100	BASE to PLUS License Upgrade for 100 concurrent endpoint device.
BASE to PRO License Upgrade	FNC-LIC-PRO-UPG-100	BASE to PRO License Upgrade for 100 concurrent endpoint devices.
PLUS to PRO License Upgrade	FNC-LIC-PLUS-UPG-100	PLUS to PRO License Upgrade for 100 concurrent endpoint devices.
Subscription License*	SKU	Description
FortiNAC Subscription Visibility (BASE) 25	FC1-10-FNAC1-215-01-DD	FortiNAC Subscription Visibility (BASE) License for 25 concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility (BASE) 500	FC2-10-FNAC1-215-01-DD	FortiNAC Subscription Visibility (BASE) License for 500 concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility (BASE) 10K	FC3-10-FNAC1-215-01-DD	FortiNAC Subscription Visibility (BASE) License for 10K concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility+Control (PLUS) 25	FC1-10-FNAC1-213-01-DD	FortiNAC Subscription Visibility+Control (PLUS) License for 25 concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility+Control (PLUS) 500	FC2-10-FNAC1-213-01-DD	FortiNAC Subscription Visibility+Control (PLUS) License for 500 concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility+Control (PLUS) 10K	FC3-10-FNAC1-213-01-DD	FortiNAC Subscription Visibility+Control (PLUS) License for 10K concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility+Control+Response (PRO) 25	FC2-10-FNAC1-209-01-DD	FortiNAC Subscription Visibility+Control+Response (PRO) License for 25 concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility+Control+Response (PRO) 500	FC3-10-FNAC1-209-01-DD	FortiNAC Subscription Visibility+Control+Response (PRO) License for 500 concurrent endpoint devices including 24/7 support. MOQ 500.
FortiNAC Subscription Visibility+Control+Response (PRO) 10K	FC4-10-FNAC1-209-01-DD	FortiNAC Subscription Visibility+Control+Response (PRO) License for 10K concurrent endpoint devices including 24/7 support. MOQ 500.
Training	SKU	Description
FortiNAC Classroom Training	FT-BNS-TR	One seat in a 3-day Administration and Operations training class. Classes are held in Concord NH and at regional locations.
FortiNAC Online Training	FT-BS-TWB	One seat in a 3-session (total 12 hours) web-based Administration and Operation overview training. Remote sessions are delivered online.
Professional Service	SKU	Description
FortiNAC Professional Service	FP-10-PS001-830-01-01	FortiNAC Professional Service - FortiCare Contract Per Day, Contract Based delivery of FortiNAC professional services. Prepaid service that can be used within 1 year of date of purchase.

* Require to purchase FortiNAC VM and/or FortiNAC Manager (for multi-pods deployment) with FortiCare Support contract separately for the Subscription license.



www.fortinet.com

Copyright © 2021 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.